



Haws® model 7460B AXION

Wall mount eye wash 7460B AXION – stainless steel bowl

FEATURES & BENEFITS

UNIQUE FACE+EYE WASH HEAD

The patented AXION shower head with integral flow control delivers reliable a compliant water jet for rinsing eyes and face. The unique, centered AXION water jet eliminates the main issues of other eye wash systems to provide proper first aid.

LARGE BOWL

The 28 cm round type 304 stainless steel receptor is resistant to damage from alkaline, salt solutions, most acids and sun damage.

SAFE OPERATION

Chrome-plated brass in-line 50 x 50 mesh water strainer prevents debris from reaching the eye wash so the unit stays functioning at its best. Strainer is easily serviceable

HIGH QUALITY

Face+eye wash station and valve assembly is pre-built and fully water/pressure tested to ensure no leaks and proper function.



OPTIONS

- Stainless steel dust cover model 9102 protects the AXION eyewash head as well as the bowl.
- Wall-mounted foot control unit SP220W includes a powder-coated aluminum pedal and a wall bracket for hands-free operation of the eyewash.
- Proximity switch SP 165E for the activation of an external alarm system
- Numerous solutions for the supply of tepid water

For more information, visit www.haws.ch or call + 41(0)34 420 60 00.

SPECIFICATIONS

Technical information


- Water flow: 14 liters/minute
- Application: indoor/outdoor
- Dimensions (H x W x D): 300 x 376 x 358 mm
- Water inlet: 1/2" G
- Water outlet: 1" G


Characteristics

- Pre-built and fully water/pressure tested
- Increased safety due to AXION face+eyewash head
- Corrosion resistant 28 cm type 304 stainless steel bowl
- Reliable chrome-plated brass stay-open ball valve with stainless steel ball and stem
- Chrome-plated brass in-line mesh strainer to prevent debris
- Including universal safety sign


APPLICATIONS

The Haws eye wash model 7460B AXION is the optimal solution for industrial applications where high corrosion resistance is required. It complies to the standards EN 15154-2 and ANSI Z358.1. The stainless steel bowl makes this permanently installed face+eye wash corrosion resistant very and rugged. The patented AXION shower head delivers reliable a compliant water jet for rinsing simultaneously eyes and face. The unique, centered AXION water jet eliminates the main issues of other eye wash systems to provide proper first aid.





REV	DESCRIPTION			ECN NO.	DATE BY
REVISIONS					
CATEGORY		MATERIAL		TITLE	
<div></div> <div>T +41 (0)34 420 60 00 F +41 (0)34 420 60 01</div> <div>BACHWEG 3 CH3401 BURGDORF SWITZERLAND</div> <div>www.haws.ch info@haws.ch</div>		SURFACE		WEIGHT (kg)	
		APPROVALS		DATE	
		MODELLED		19.05.2011	
		DRAWN		19.05.2011	
		REVISED			
		CHECKED		20.09.2022	
THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF HAWS CORPORATION.		SCALE 1:10		SHEET 1 OF 2	
		General tolerances ISO 2768-mK			
		SIZE		DOCUMENT NO.	
		A4		0009074	
				REV.	
				-	



PARTS BREAKDOWN



ITEM	PART NU.	DESCRIPTION
1	SP65	Axion eye/face wash head
2	SP90	Bowl
3	SP509	Strainer
4	SP80	Bracket
5	SP229	Valve assembly
6	SP175	Eye wash sign
7	SP170	Test tag
8	SP37.5	Flow control
9	SP9091	Dust Cover (ABS yellow)

SP65 EYE WASH ASSEMBLY



REV	DESCRIPTION			ECN NO.	DATE BY
REVISIONS					
CATEGORY		MATERIAL		TITLE	
 <div>T +41 (0)34 420 60 00 F +41 (0)34 420 60 01</div> <div>BACHWEG 3 CH3401 BURGDORF SWITZERLAND</div> <div>www.haws.ch info@haws.ch</div>		SURFACE		7460B AXION	
		WEIGHT (kg)		SPECIFICATION Wall mounted face/eye wash	
		APPROVALS			
		DATE			
		MODELLED		19.05.2011	
DRAWN		19.05.2011			
REVISED		PART NO.			
		10004477			
THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF HAWS CORPORATION.		CHECKED tara		SIZE	
		20.09.2022		DOCUMENT NO.	
		SCALE 1:10		A4	
				0009074	
		General tolerances ISO 2768-mK		REV.	
		SHEET 2 OF 2		-	

THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE PERMISSION OF HAWS CORPORATION.

0009074